


PRO-FIND 40

EN Getting Started Guide



PERFORMANCE // IS EVERYTHING®



PARTS

- | | |
|--------------------|------------------------|
| 1. Detection Area | 6. Minus [-] Button |
| 2. LED Flashlight | 7. Battery Compartment |
| 3. Speaker | 8. 9 V PP3 Battery |
| 4. Power Button | 9. Battery Cap |
| 5. Plus [+] Button | 10. O-ring |

MAINTENANCE

- Keep the Battery Cap screw threads and O-ring clean.
- Periodically lubricate the O-ring with silicone grease.



Minelab reserves the right to introduce changes in design, equipment and technical features at any time without notice. | Minelab® and PRO-FIND® are trademarks of Minelab Electronics Pty Ltd.

Minelab Electronics, PO Box 35, Salisbury South, South Australia 5106

4901-0485-1


TURN ON



TURN OFF



ADJUST SENSITIVITY [5 LEVELS]



RAPID RE-TUNE




ENABLE AUDIO




DISABLE AUDIO




TARGET AUDIO




ENABLE FERROUS AUDIO



DISABLE FERROUS AUDIO



FERROUS AUDIO



INACTIVE ALARM



FACTORY RESET



Comparison Guide

Specifications	PRO-FIND 15	Retired Soon PRO-FIND 20	PRO-FIND 35	PRO-FIND 40
Target Identification	Standard	Standard	Standard and Ferrous Tone ID	Standard and Ferrous Tone ID
Sensitivity	Fixed	Fixed	Adjustable (5 levels)	Adjustable (5 levels)
Waterproof	1.5 m (5 ft)	1.5 m (5 ft)	3 m (10 ft)	3 m (10 ft)
Rapid Retune	No	No	No	Yes
Audio Indication	On only	On, Off	On, Off	On, Off
Vibration Indication	No	Yes	Yes	On, Off
LED Flashlight	No	No	Yes	Yes
Battery	9 V PP3 (not included)	9 V PP3 (not included)	9 V PP3 (included)	9 V PP3 (included)
Battery Life (approx.)	30 hours	30 hours	30 hours	20 hours
Length	248 mm (9.8")	248 mm (9.8")	248 mm (9.8")	247 mm (9.7 in)
Weight	193 g (6.82 oz)	193 g (6.82 oz)	193 g (6.82 oz)	188 g (6.6 oz)
Accessories	Holster	Holster	Holster, Lanyard	Holster, Lanyard
Key Technologies	VLF, DIF	VLF, DIF	VLF, DIF	VLF, DIF